

BOX SEQUENCE PATENT 1254-0191P

IN THE U.S. PATENT AND TRADEMARK OFFICE

Applicant:

Matsuda et al.

Conf.:

3320

Appl. No.:

10/024,298

Group:

1645

Filed:

December 21, 2001

Examiner:

TO BE ASSIGNED

For:

NF-K B ACTIVATING GENE

AMENDMENT

Assistant Commissioner for Patents Washington, DC 20231

March 4, 2003

Sir:

In response to the Notice to Comply with Requirements for Patent Applications Containing Nucleotide Sequence and/or Amino Acid Sequence Disclosures mailed December 4, 2002, the following amendments and remarks are respectfully submitted in connection with the above-identified application.

IN THE SPECIFICATION:

Please replace the paragraph beginning on page 4, line 25, with the following rewritten paragraph:

- -- That is, the present invention relates to:
- (1) A purified protein selected from the group consisting of:

03/05/2003 MBLANCO 00000019 10024298

01 FC:1252

410.00 OP

(a) a protein that activates NF- κ B which consists of an amino acid sequence represented by any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178 and;--

Please replace the paragraph beginning on page 5, line 4, with the following rewritten paragraph:

--(b) a protein that activates NF-κB and consists of an amino acid sequence having at least one amino acid deletion, substitution or addition in an amino acid sequence represented by any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89,91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178.--

Please replace the paragraph beginning on page 5, line 14, with the following rewritten paragraph:

--(3) An isolated polynucleotide which comprises a nucleotide sequence encoding a protein selected from the group consisting of:

(a) a protein which comprises an amino acid sequence represented by any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178; and--

Please replace the paragraph beginning on page 5, line 22, with the following rewritten paragraph:

--(b) a protein that activates NF-κB and consists of an amino acid sequence having at least one amino acid deletion, substitution or addition in an amino acid sequence represented by any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178.--

Please replace the paragraph beginning on page 5, line 29, with the following rewritten paragraph:

--(4) An isolated polynucleotide comprising a polynucleotide sequence selected from the group consisting of:

(a) a polynucleotide sequence represented by any one of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, and 177; --

Please replace the paragraph beginning on page 6, line 10, with the following rewritten paragraph:

--(c) a polynucleotide sequence which encodes a protein that activates NF-κB and consists of a polynucleotide sequence having at least one nucleotide deletion, substitution or addition in a polynucleotide sequence represented by any one of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, and 177.--

Please replace the paragraph beginning on page 10, line 1, with the following rewritten paragraph:

--(28) A computer-readable medium on which a sequence data set has been stored, said sequence data set comprising at least one nucleotide sequence selected from the group consisting of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96,

98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, and 177, and/or at least one amino acid sequence selected from the group consisting of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178.--

Please replace the paragraph beginning on page 10, line 16, with the following rewritten paragraph:

--(30) An insoluble substrate to which polynucleotide comprising all or part of the nucleotide sequences selected from the group consisting of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88 and 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, and 177, are fixed.--

Please replace the paragraph beginning on page 10, line 23, with the following rewritten paragraph:

--(31) An insoluble substrate to which polypeptides comprising all or a part of the amino acid sequences selected from the group consisting of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19,

21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178, are fixed.--

Please replace the paragraph beginning on page 15, line 18, with the following rewritten paragraph:

--Related to the amino acid sequences of any one of SEQ ID NOS. 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178, the present invention provides for a protein that:--

Please replace the paragraph beginning on page 15, line 28, with the following rewritten paragraph:

--(d) comprises an amino acid sequence, which has at least 95% identity, preferably at least 97-99% identity, to an amino acid sequence of SEQ ID NO: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, or 178, over the entire length thereof.--

Please replace the paragraph beginning on page 17, line 10, with the following rewritten paragraph:

--The Examples described below demonstrate that the protein consisting of an amino acid sequence of any one of the above SEQ ID NO: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178, is capable of activating NF-κB.--

Please replace the paragraph beginning on page 17, line 16, with the following rewritten paragraph:

--Related to the polynucleotide sequence of any one of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, and 177, the present invention further provides an isolated polynucleotide that:--

Please replace the paragraph beginning on page 17, line 25, with the following rewritten paragraph:

--(c) has a nucleotide sequence encoding a protein which has at least 95% identity, preferably, at least 97-99% identity, to the amino acid sequence of any one of SEQ ID NOs: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178.--

Please replace the paragraph beginning on page 18, line 18, with the following rewritten paragraph:

--Those skilled in the art can prepare a protein having the same NF-κB activating activity as the protein having an amino acid sequence of any one of SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178, by means of appropriate substitution of an amino acid in the protein using known methods. One such method involves using conventional mutagenesis procedures for the DNA encoding the protein. Another method is, for example, site-directed mutagenesis (e.g., Mutan-Super Express Km Kit from Takara Shuzo Co., Ltd.). Mutations of amino acids in proteins may also occur in nature. Thus, the

present invention also includes a mutated protein which is capable of activating NF-κB and which has at least one amino acid deletion, substitution or addition relative to the protein of any one of SEQ ID NO: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178, and the DNA encoding the protein. The number of mutations is preferably up to 10, more preferably up to 5, most preferably up to 3.--

Please replace the paragraph beginning on page 19, line 12, with the following rewritten paragraph:

--Based on the nucleotide sequences (e.g., SEQ ID NO: 2) encoding a protein consisting of an amino acid sequence of any one of SEQ ID NO: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178 or a fragment thereof, those skilled in the art can routinely isolate a DNA with a high sequence similarity to these nucleotide sequences by using hybridization techniques and the like, and obtain proteins having the same NF-κB activating activity as the protein having of an amino acid sequence of any one of SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109,

111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178. Thus, the present invention also includes a protein that activates NF-kB and comprises an amino acid sequence having a high identity to the amino acid sequence of any one of the above SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178. "High identity" refers to an amino acid sequence having an identity of at least 90%, preferably 95%, and more preferably at least 97% over the entire length of an amino acid sequence expressed by any one of the above SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178. The proteins of the present invention may be natural proteins derived from any human or animal cells or tissues, chemically synthesized proteins, or proteins obtained by genetic recombination techniques. The protein may or may not be subjected to posttranslational modifications such as sugar chain addition or phosphorylation.--

Please replace the paragraph beginning on page 20, line 13, with the following rewritten paragraph:

-- The present invention also includes a polynucleotide encoding the above protein of the present invention. Examples of nucleotide sequences encoding a protein consisting of an amino acid sequence of any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178 include nucleotide sequences of any one of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, and 177. The DNA includes cDNA, genomic DNA, and chemically synthesized DNA. In accordance with the degeneracy of the genetic code, at least one nucleotide in the nucleotide sequence encoding a protein consisting of an amino acid sequence of any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107,109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178 can be substituted with other nucleotides without altering the amino acid sequence of the protein produced from the gene. Therefore, the DNA sequences of the present invention also include

nucleotide sequences altered by substitution based on the degeneracy of the genetic code. Such DNA sequences can be synthesized using known methods.--

Please replace the paragraph beginning on page 21, line 7, with the following rewritten paragraph:

--The DNA of the present invention includes a DNA which encodes a protein capable of activating NF-κB and hybridizes under stringent conditions with the DNA sequence of the above nucleotide sequence of any one of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, and 177. Stringent conditions are apparent to those skilled in the art, and can be easily attained in accordance with various laboratory manuals such as T. Maniatis et al., Molecular Cloning A Laboratory Manual, Cold Spring Harbor Laboratory 1982, 1989.--

Please replace the paragraph beginning on page 22, line 24, with the following rewritten paragraph:

--Techniques for cloning the DNA encoding the protein of the present invention include, in addition to the methods described in the specification of the present application, PCR amplification using a synthetic DNA having a part of the nucleotide sequence of the present invention (e.g., any one of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32,

34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, and 177) as a primer, and selection of the DNA inserted into a suitable vector by hybridization with a labeled DNA fragment encoding a partial or full coding region of the protein of the present invention or a labeled synthetic DNA. Another technique involves direct amplification from total RNAs or mRNA fractions prepared from cells or tissues, using the reverse transcriptase polymerase chain reaction (RT-PCR method). As a DNA inserted into a suitable vector, for example, a commercially available library (e.g., from CLONTECH and STRATAGENE) can be used. Techniques for hybridization are normally used in the art, and can be easily carried out in accordance with various laboratory manuals such as T. Maniatis et al., supra. Depending on the intended purpose, the cloned DNA encoding the protein of the present invention can be used as such or if desired after digestion with a restriction enzyme or addition of a linker. The DNA thus obtained may have a nucleotide sequence of any one of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, and 177, or a polynucleotide of above items (3) to (6). The DNA sequence to be inserted into an expression vector in the above step (B) may be a full-length cDNA or a DNA fragment encoding the above full-length protein, or a DNA fragment constructed so that it expresses a part thereof.--

Please replace the paragraph beginning on page 36, line 28, with the following rewritten paragraph:

--(b) reagents for measuring the detectable signal.

In another aspect, the present invention relates to a diagnostic kit which comprises:

(a) a polynucleotide of the present invention having a nucleotide sequence expressed by SEQ ID NO: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, or 177;--

Please replace the paragraph beginning on page 37, line 8, with the following rewritten paragraph:

--(c) a protein of the present invention having an amino acid sequence expressed by SEQ ID NO: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, or 178, or a fragment thereof; or--

Please replace the paragraph beginning on page 46, line 26, with the following rewritten paragraph:

--The present invention also relates to a computer-readable medium on which a sequence data set has been stored, said sequence data set comprising at least one nucleotide sequence selected from the group consisting of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, and 177, and/or at least one amino acid sequence selected from the group consisting of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178.--

Please replace the paragraph beginning on page 47, line 26, with the following rewritten paragraph:

--The present invention also relates to an insoluble substrate to which polynucleotide comprising all or part of the nucleotide sequences selected from the group consisting of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138,

140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, and 177, are fixed. A plurality of the various polynucleotides which are DNA probes are fixed on a specifically processed solid substrate such as slide glass to form a DNA microarray and then a labeled target polynucleotide is hybridized with the fixed polynucleotides to detect a signal from each of the probes. The data obtained is analyzed and the gene expression is determined.--

Please replace the paragraph beginning on page 48, line 8, with the following rewritten paragraph:

--The present invention further relates to an insoluble substrate to which polypeptides comprising all or part of the amino acid sequences selected from the group consisting of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178, are fixed. By mixing organism-derived cell extract with the insoluble substrate on which these proteins are fixed, it is possible to isolate or identify cell-derived components such as proteins captured on the insoluble substrate that can be expected to be useful in diagnosis or drug development.--

Please replace the paragraph beginning on page 50, line 22, with the following rewritten paragraph:

--The full-length DNA sequences for the 90 new clones were determined (SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, and 177). The amino acid sequences of the protein coding regions (open reading frames) were deduced (SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178).--

Please insert the attached Sequence Listing, independently numbered 1-366, directly after the abstract.

IN THE CLAIMS:

- 1. (Amended) A purified protein selected from the group consisting of:
- (a) a protein which consists of an amino acid sequence represented by any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103,

105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178; and

- (b) a protein that activates NF-κB (Nuclear factor kappa B) and consists of an amino acid sequence having at least one amino acid deletion, substitution or addition in an amino acid sequence represented by any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178.
- 3. (Amended) An isolated polynucleotide which comprises a nucleotide sequence encoding a protein selected from the group consisting of:
- (a) a protein which comprises an amino acid sequence represented by any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89,91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178; and
- (b) a protein that activates NF-κB and consists of an amino acid sequence having at least one amino acid deletion, substitution or addition in an amino acid sequence represented by any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55,

57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178.

- 4. (Amended) An isolated polynucleotide comprising a polynucleotide sequence selected from the group consisting of:
- (a) a polynucleotide sequence represented by any one of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, and 177;
- (b) a polynucleotide sequence encoding a protein that activates NF-κB and hybridizing under stringent conditions with a polynucleotide having a polynucleotide sequence complementary to the polynucleotide sequence of (a); and
- (c) a polynucleotide sequence which encodes a protein that activates NF-κB and consists of a polynucleotide sequence having at least one nucleotide deletion, substitution or addition in a polynucleotide sequence represented by any one of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, and 177.

28. (Amended) A computer-readable medium on which a sequence data set has been stored, said sequence data set comprising at least one nucleotide sequence selected from the group consisting of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, and 177, and/or at least one amino acid sequence selected from the group consisting of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178.

30. (Amended) An insoluble substrate to which polynucleotides comprising all or part of the nucleotide sequences selected from the group consisting of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, and 177, are fixed.

31. (Amended) An insoluble substrate to which polypeptides comprising all or a part of the amino acid sequences selected from the group consisting of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13,

15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178, are fixed.

REMARKS

Enclosed herewith in full compliance with 37 C.F.R. §§1.821-1.825 is a Sequence Listing to be inserted into the specification as indicated above. The Sequence Listing in no way introduces new matter into the specification. Also submitted herewith in full compliance with 37 C.F.R. §§1.821-1.825 is a disk copy of the Sequence Listing. The disk copy of the Sequence Listing, file "2003-02-04 1254-0191P.st25.txt", is identical to the paper copy, except that it lacks formatting. No new matter is introduced by these amendments.

The specification has been amended to remove SEQ ID NOS:179-180. Pursuant to 37 C.F.R. §1.821(c) SEQ ID NOS:179-180 have purposefully been left blank with "000" place holders so that the Sequence Listing corresponds to the SEQ ID NOS referred to in the specification. No new matter is introduced by these amendments.

If necessary, the Commissioner is hereby authorized in this, concurrent, and future replies, to charge payment or credit any overpayment to Deposit Account No. 02-2448 for any additional fees required under 37 C.F.R. § 1.16 or under 37 C.F.R. § 1.17; particularly, extension of time fees.

Respectfully submitted, BIRCH, STEWART, KOLASCH & BIRCH, LLP

Gerald M. Murphy, Jr., Reg. No. 28,977

(703) 205-8000

Attachments: Disk Copy of Sequence Listing

GMM/LPS

Paper Copy of Sequence Listing

Copy of Notice

(Rev. 03/27/01)



VERSION WITH MARKINGS TO SHOW CHANGES MADE

IN THE SPECIFICATION:

The paragraph beginning on page 4, line 25, has been amended as follows:

- -- That is, the present invention relates to:
- (1) A purified protein selected from the group consisting of:
- (a) a protein that activates NF-κB which consists of an amino acid sequence represented by any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178[, and 180]; and--

The paragraph beginning on page 5, line 4, has been amended as follows:

--(b) a protein that activates NF-κB and consists of an amino acid sequence having at least one amino acid deletion, substitution or addition in an amino acid sequence represented by any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89,91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178 [and 180].--

The paragraph beginning on page 5, line 14, has been amended as follows:

- --(3) An isolated polynucleotide which comprises a nucleotide sequence encoding a protein selected from the group consisting of:
- (a) a protein which comprises an amino acid sequence represented by any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178 [and 180]; and--

The paragraph beginning on page 5, line 22, has been amended as follows:

--(b) a protein that activates NF-κB and consists of an amino acid sequence having at least one amino acid deletion, substitution or addition in an amino acid sequence represented by any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178[and 180].--

The paragraph beginning on page 5, line 29, has been amended as follows:

--(4) An isolated polynucleotide comprising a polynucleotide sequence selected from the group consisting of:

(a) a polynucleotide sequence represented by any one of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, and 177[and 179];—

The paragraph beginning on page 6, line 10, has been amended as follows:

--(c) a polynucleotide sequence which encodes a protein that activates NF-κB and consists of a polynucleotide sequence having at least one nucleotide deletion, substitution or addition in a polynucleotide sequence represented by any one of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, and 177[and 179].--

The paragraph beginning on page 10, line 1, has been amended as follows:

--(28) A computer-readable medium on which a sequence data set has been stored, said sequence data set comprising at least one nucleotide sequence selected from the group consisting of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171,

173, 175, and 177[and 179], and/or at least one amino acid sequence selected from the group consisting of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178[and 180].--

The paragraph beginning on page 10, line 16, has been amended as follows:

--(30) An insoluble substrate to which polynucleotide comprising all or part of the nucleotide sequences selected from the group consisting of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88 and 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, and 177[and 179], are fixed.--

The paragraph beginning on page 10, line 23, has been amended as follows:

--(31) An insoluble substrate to which polypeptides comprising all or a part of the amino acid sequences selected from the group consisting of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178[and 180], are fixed.--

The paragraph beginning on page 15, line 18, has been amended as follows:

--Related to the amino acid sequences of any one of SEQ ID NOS. 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178[and 180], the present invention provides for a protein that:--

The paragraph beginning on page 15, line 28, has been amended as follows:

--(d) comprises an amino acid sequence, which has at least 95% identity, preferably at least 9799% identity, to an amino acid sequence of SEQ ID NO: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23,
25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75,
77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119,
121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158,
160, 162, 164, 166, 168, 170, 172, 174, 176, or 178[or 180], over the entire length thereof.--

The paragraph beginning on page 17, line 10, has been amended as follows:

--The Examples described below demonstrate that the protein consisting of an amino acid sequence of any one of the above SEQ ID NO: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121,

123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178[and 180], is capable of activating NF-κB.--

The paragraph beginning on page 17, line 16, has been amended as follows:

--Related to the polynucleotide sequence of any one of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, and 177[and 179], the present invention further provides an isolated polynucleotide that:--

The paragraph beginning on page 17, line 25, has been amended as follows:

--(c) has a nucleotide sequence encoding a protein which has at least 95% identity, preferably, at least 97-99% identity, to the amino acid sequence of any one of SEQ ID NOs: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178[and 180].--

The paragraph beginning on page 18, line 18, has been amended as follows:

--Those skilled in the art can prepare a protein having the same NF-κB activating activity as the protein having an amino acid sequence of any one of SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15,

17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178[and 180], by means of appropriate substitution of an amino acid in the protein using known methods. One such method involves using conventional mutagenesis procedures for the DNA encoding the protein. Another method is, for example, site-directed mutagenesis (e.g., Mutan-Super Express Km Kit from Takara Shuzo Co., Ltd.). Mutations of amino acids in proteins may also occur in nature. Thus, the present invention also includes a mutated protein which is capable of activating NF-kB and which has at least one amino acid deletion, substitution or addition relative to the protein of any one of SEQ ID NO: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95,97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178[and 180], and the DNA encoding the protein. The number of mutations is preferably up to 10, more preferably up to 5, most preferably up to 3.--

The paragraph beginning on page 19, line 12, has been amended as follows:

--Based on the nucleotide sequences (e.g., SEQ ID NO: 2) encoding a protein consisting of an amino acid sequence of any one of SEQ ID NO: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121,

123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178[and 180] or a fragment thereof, those skilled in the art can routinely isolate a DNA with a high sequence similarity to these nucleotide sequences by using hybridization techniques and the like, and obtain proteins having the same NF-κB activating activity as the protein having of an amino acid sequence of any one of SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178[and 180]. Thus, the present invention also includes a protein that activates NF-κB and comprises an amino acid sequence having a high identity to the amino acid sequence of any one of the above SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99,101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178[and 180]. "High identity" refers to an amino acid sequence having an identity of at least 90%, preferably 95%, and more preferably at least 97% over the entire length of an amino acid sequence expressed by any one of the above SEQ ID NO:1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117,119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178[and 180]. The proteins of the present

invention may be natural proteins derived from any human or animal cells or tissues, chemically synthesized proteins, or proteins obtained by genetic recombination techniques. The protein may or may not be subjected to post-translational modifications such as sugar chain addition or phosphorylation.--

The paragraph beginning on page 20, line 13, has been amended as follows:

-- The present invention also includes a polynucleotide encoding the above protein of the present invention. Examples of nucleotide sequences encoding a protein consisting of an amino acid sequence of any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178[and 180] include nucleotide sequences of any one of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, and 177[and 179]. The DNA includes cDNA, genomic DNA, and chemically synthesized DNA. In accordance with the degeneracy of the genetic code, at least one nucleotide in the nucleotide sequence encoding a protein consisting of an amino acid sequence of any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99,

101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178[and 180] can be substituted with other nucleotides without altering the amino acid sequence of the protein produced from the gene. Therefore, the DNA sequences of the present invention also include nucleotide sequences altered by substitution based on the degeneracy of the genetic code. Such DNA sequences can be synthesized using known methods.—

The paragraph beginning on page 21, line 7, has been amended as follows:

--The DNA of the present invention includes a DNA which encodes a protein capable of activating NF-κB and hybridizes under stringent conditions with the DNA sequence of the above nucleotide sequence of any one of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, and 177[and 179]. Stringent conditions are apparent to those skilled in the art, and can be easily attained in accordance with various laboratory manuals such as T. Maniatis et al., Molecular Cloning A Laboratory Manual, Cold Spring Harbor Laboratory 1982, 1989.--

The paragraph beginning on page 22, line 24, has been amended as follows:

--Techniques for cloning the DNA encoding the protein of the present invention include, in addition to the methods described in the specification of the present application, PCR

amplification using a synthetic DNA having a part of the nucleotide sequence of the present invention (e.g., any one of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, and 177[and 179]) as a primer, and selection of the DNA inserted into a suitable vector by hybridization with a labeled DNA fragment encoding a partial or full coding region of the protein of the present invention or a labeled synthetic DNA. Another technique involves direct amplification from total RNAs or mRNA fractions prepared from cells or tissues, using the reverse transcriptase polymerase chain reaction (RT-PCR method). As a DNA inserted into a suitable vector, for example, a commercially available library (e.g., from CLONTECH and STRATAGENE) can be used. Techniques for hybridization are normally used in the art, and can be easily carried out in accordance with various laboratory manuals such as T. Maniatis et al., supra. Depending on the intended purpose, the cloned DNA encoding the protein of the present invention can be used as such or if desired after digestion with a restriction enzyme or addition of a linker. The DNA thus obtained may have a nucleotide sequence of any one of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, and 177[and 179], or a polynucleotide of above items (3) to (6). The DNA sequence to be inserted into an expression vector in the above step (B) may be a full-length cDNA or a

DNA fragment encoding the above full-length protein, or a DNA fragment constructed so that it expresses a part thereof.--

The paragraph beginning on page 36, line 28, has been amended as follows:

--(b) reagents for measuring the detectable signal.

In another aspect, the present invention relates to a diagnostic kit which comprises:

(a) a polynucleotide of the present invention having a nucleotide sequence expressed by SEQ ID NO: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, or 177 [or 179];--

The paragraph beginning on page 37, line 8, has been amended as follows:

--(c) a protein of the present invention having an amino acid sequence expressed by SEQ ID NO:

1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53,

55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103,

105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141,

143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, or 178[or 180], or a fragment thereof; or--

The paragraph beginning on page 46, line 26, has been amended as follows:

--The present invention also relates to a computer-readable medium on which a sequence data set has been stored, said sequence data set comprising at least one nucleotide sequence selected from the group consisting of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, and 177[and 179], and/or at least one amino acid sequence selected from the group consisting of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178[and 180].--

The paragraph beginning on page 47, line 26, has been amended as follows:

--The present invention also relates to an insoluble substrate to which polynucleotide comprising all or part of the nucleotide sequences selected from the group consisting of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, and 177[and 179], are fixed. A plurality of the various polynucleotides which are DNA probes

are fixed on a specifically processed solid substrate such as slide glass to form a DNA microarray and then a labeled target polynucleotide is hybridized with the fixed polynucleotides to detect a signal from each of the probes. The data obtained is analyzed and the gene expression is determined.--

The paragraph beginning on page 48, line 8, has been amended as follows:

--The present invention further relates to an insoluble substrate to which polypeptides comprising all or part of the amino acid sequences selected from the group consisting of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178[and 180], are fixed. By mixing organism-derived cell extract with the insoluble substrate on which these proteins are fixed, it is possible to isolate or identify cell-derived components such as proteins captured on the insoluble substrate that can be expected to be useful in diagnosis or drug development.--

The paragraph beginning on page 50, line 22, has been amended as follows:

--The full-length DNA sequences for the 90 new clones were determined (SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104,

106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, and 177 [and 179]). The amino acid sequences of the protein coding regions (open reading frames) were deduced (SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178[and 180]).--

IN THE CLAIMS:

- 1. (Amended) A purified protein selected from the group consisting of:
- (a) a protein which consists of an amino acid sequence represented by any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178 [and 180]; and
- (b) a protein that activates NF-κB (Nuclear factor kappa B) and consists of an amino acid sequence having at least one amino acid deletion, substitution or addition in an amino acid sequence represented by any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123,

125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178[and 180].

- 3. (Amended) An isolated polynucleotide which comprises a nucleotide sequence encoding a protein selected from the group consisting of:
- (a) a protein which comprises an amino acid sequence represented by any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89,91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178 [and 180]; and
- (b) a protein that activates NF-kB and consists of an amino acid sequence having at least one amino acid deletion, substitution or addition in an amino acid sequence represented by any one of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178[and 180].
- 4. (Amended) An isolated polynucleotide comprising a polynucleotide sequence selected from the group consisting of:
- (a) a polynucleotide sequence represented by any one of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68,

70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, and 177[and 179];

- (b) a polynucleotide sequence encoding a protein that activates NF-κB and hybridizing under stringent conditions with a polynucleotide having a polynucleotide sequence complementary to the polynucleotide sequence of (a); and
- (c) a polynucleotide sequence which encodes a protein that activates NF-κB and consists of a polynucleotide sequence having at least one nucleotide deletion, substitution or addition in a polynucleotide sequence represented by any one of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, and 177[and 179].
- 28. (Amended) A computer-readable medium on which a sequence data set has been stored, said sequence data set comprising at least one nucleotide sequence selected from the group consisting of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, and 177[and 179], and/or at least one amino acid sequence selected from the group consisting of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39,

41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178[and 180].

30. (Amended) An insoluble substrate to which polynucleotides comprising all or part of the nucleotide sequences selected from the group consisting of SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, 50, 52, 54, 56, 58, 60, 62, 64, 66, 68, 70, 72, 74, 76, 78, 80, 82, 84, 86, 88, 90, 92, 94, 96, 98, 100, 102, 104, 106, 108, 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, 136, 138, 140, 142, 144, 146, 148, 150, 151, 153, 155, 157, 159, 161, 163, 165, 167, 169, 171, 173, 175, and 177[and 179], are fixed.

31. (Amended) An insoluble substrate to which polypeptides comprising all or a part of the amino acid sequences selected from the group consisting of SEQ ID NOS: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, 79, 81, 83, 85, 87, 89, 91, 93, 95, 97, 99, 101, 103, 105, 107, 109, 111, 113, 115, 117, 119, 121, 123, 125, 127, 129, 131, 133, 135, 137, 139, 141, 143, 145, 147, 149, 152, 154, 156, 158, 160, 162, 164, 166, 168, 170, 172, 174, 176, and 178[and 180], are fixed.